

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in this application.

1.(Currently Amended) A method performed by an apparatus, the method comprising:
 maintaining a profile of voice user interface capabilities associated with the apparatus,
wherein the profile includes at least one setting related to voice interaction dialogue with a
user, said at least one voice interaction dialogue setting including at least a speech
recognition verification-related setting;
 storing an application having voice user interface features on the apparatus or
downloading an application having voice user interface features from a server in
communication with the apparatus;
 examining at least part of the profile; and
 using voice user interface features of the application which are appropriate to the
profile and refraining from using inappropriate features;
in which the stored application when executed responds to at least one user voice input with a
query or a statement in dependence on the speech recognition verification-related setting.

2.(Previously Presented) A method as claimed in claim 1, further comprising prior to the
using step: initializing the application using information included in the profile.

3.(Previously Presented) A method as claimed in claim 1, in which the maintaining step
includes maintaining information relating to any combination of vocabulary, dialogue,
automatic speech recognition and text-to-speech synthesis capabilities.

4.(Previously Presented) A method as claimed in claim 1, in which the maintaining step
includes maintaining information relating to grammar capabilities, wherein the grammar
capabilities ~~comprise at least one of statistical and context free grammar capabilities~~
associated with the device.

5.(Previously Presented) A method as claimed in claim 1, in which the using step
includes referring to definitions forming part of the application, and using those definitions
with at least part of the profile to determine which parts of the application are appropriate to
the profile.

6.(Currently Amended) An apparatus, comprising:
a storage device for maintaining a profile of voice user interface capabilities associated with the apparatus;
a reader for examining at least part of the profile; and
an application runner arranged to run an application using voice user interface features of the application which are appropriate to the profile and to refrain from using inappropriate features wherein the profile includes at least one setting related to voice interaction dialogue with a user, said at least one voice interaction dialogue setting including at least a speech recognition verification related setting;
in which the application runner responds to at least one user voice input with a query or a statement in dependence on the speech recognition verification-related setting.

7.(Previously Presented) An apparatus as claimed in claim 6, comprising an initializer, arranged to use information included in the profile to initialize the application.

8.(Previously Presented) An apparatus as claimed in claim 6, in which the profile includes information relating to any combination of vocabulary, dialogue, automatic speech recognition and text-to-speech synthesis capabilities.

9.(Previously Presented) An apparatus as claimed in claim 6, in which the profile includes information relating to grammar capabilities, wherein the grammar capabilities comprises at least one of statistical and context-free grammar capabilities associated with the device.

10.(Previously Presented) An apparatus as claimed in claim 6, in which the application runner is arranged to refer to definitions forming part of the application, and to compare these definitions with at least part of the profile to determine which parts of the application are appropriate to the profile.

11.(Currently Amended) A system comprising:
an apparatus having voice user interface capabilities; and
a server, capable of communicating with the apparatus,

the server being arranged to examine at least part of a profile voice user interface capabilities associated with the apparatus, and to run an application using voice user interface features of the application which are appropriate to the profile and to refrain from using inappropriate features, wherein the profile includes at least one setting related to voice interaction dialogue with a user, said at least one voice interaction dialogue setting including at least a speech recognition verification-related setting, and in which the stored application when run responds to at least one user voice input with a query or a statement in dependence on the speech recognition verification-related setting.

12.(Previously Presented) A system as claimed in claim 11, in which the server comprises an initializer, arranged to use information included in the profile to initialize the application.

13.(Previously Presented) A system as claimed in claim 11, in which the profile includes information relating to any combination of vocabulary, dialogue, automatic speech recognition and text-to-speech synthesis capabilities.

14.(Previously Presented) A system as claimed in claim 11, in which the profile includes information relating to grammar capabilities, wherein the grammar capabilities comprise at least one of statistical and context free grammar capabilities that are associated with the device.

15.(Previously Presented) A system as claimed in claim 11, in which the server is arranged to refer to definitions forming part of the application, and to use these definitions with at least part of the profile to determine which parts of the application are appropriate to the profile.

16-18.(Cancelled)

19.(Currently Amended) A method comprising:

at a first apparatus operative in a wireless communications network,

storing at the first apparatus an application the output of which is to be used by a second apparatus;

reading a voice UI profile for the second apparatus, the voice UI profile comprising at least a speech recognition verification-related setting, and in which the stored application

when executed responds to at least one user voice input with a query or a statement in dependence on the speech recognition verification-related setting;

initializing the application;

detecting that execution of the application is required;

executing the application while reading relevant parts of the device profile on-the-fly,

and

using appropriate parts of the voice UI profile and refraining from using inappropriate parts of the UI voice profile.

20.(Previously Presented) The method of claim 19 wherein the first apparatus is a base station operative in the wireless communications network.

21.(Previously Presented) The method of claim 19 further comprising:

determining that the voice UI profile for the second apparatus is stored at the first apparatus.

22.(Previously Presented) The method of claim 19 further comprising:

determining that the voice UI profile for the second apparatus is not stored at the first apparatus; and

uploading the voice UI profile for the second apparatus to the first apparatus.

23.(Currently Amended) The method of claim 19 wherein the voice UI profile includes at least one setting related to voice interaction dialogue with a user, said at least one voice interaction dialogue setting including ~~at least a~~ at least the speech recognition verification-related setting.

24.(Currently Amended) An apparatus comprising:

a memory storing a program configured to operate the apparatus when executed and an application the output of which is to be used by another apparatus; and

a processor configured to execute the program, wherein when the processor executes the program operations are performed, the operations comprising:

reading a voice UI profile for the other apparatus, the voice UI profile comprising at least a speech recognition verification-related setting, in which the program

when executed responds to at least one user voice input with a query or a statement in dependence on the speech recognition verification-related setting;

initializing the application;
detecting that execution of the application is required;
executing the application while reading relevant parts of the device profile on-the-fly, and
using appropriate parts of the voice UI profile and refraining from using inappropriate parts of the UI voice profile.

25.(Previously Presented) The apparatus of claim 24 wherein the apparatus is a base station operative in the wireless communications network.

26.(Previously Presented) The apparatus of claim 24 wherein the operations further comprise:
determining that the voice UI profile for the other apparatus is stored at the apparatus.

27.(Previously Presented) The apparatus of claim 24 wherein the operations further comprise:
determining that the voice UI profile for the other apparatus is not stored at the apparatus; and
uploading the voice UI profile for the other apparatus to the apparatus.

28.(Currently Amended) The apparatus of claim 24 wherein the voice UI profile includes at least one setting related to voice interaction dialogue with a user, said at least one voice interaction dialogue setting including ~~at least a~~ at least the speech recognition verification-related setting.